

SEISMIC RESEARCH VESSEL FOR SALE OR CHARTER



CP FREE EARLY 2016

Class: DNV +1A1, SF, Heldk, EO

Built in NORWAY in 2005

MAIN DIMENSIONS

Length overall 72,80 m

Length between pp. 64,20 m

Beam mld. 16,00 m

Depth mld. main deck 6,80 m

Depth light ship 4,21 m

Depth loaded (winter) 5,57 m

Depth loaded (summer) 5,70 m

Air draft (to highest antenna) 25,2 m (from draft 4,7m) Brt. tonnage 3 658 t.

Net tonnage 1 098 t.

Dead-weight: 2 538 t.

Helicopter deck rating Super Puma AS332 MK1 Helicopter deck diameter (D-value) 19,5 m Helicopter deck markings standard NA

CAPACITIES

Marine diesel oil 1 017,0 m³

Fresh water 424,5 m³

Fresh water production capacity 10,0 m³/ 24h (at maximum load on main engines)

Ballast water: 719,1 m³

Water Ballast in Mud tanks: 786,0 m³ - 75m³ Lubrication oil: 26,8 m³

Sludge tank: 5,2 m³ Dirty oil tank: 5,2 m³ Bilge water tank: 5,2 m³ + 75m³

Deck cargo: 450 t.

Area deck: 570 m²

Accom: 30 pax

PUMPS TYPE/ SPECIFICATIONS

2 off Fuel oil transfer pump Kral 3 spindle screw pumps KFUG 275. 20 m³ / h – 2,0 bar.

1 off Ballast pump Speck 100/250 A1 Centrifugal pump 200 m³ / h – 2,0 bar.

1 off Fresh water pump Speck 100/250 A1 Centrifugal pump 200 m³ / h – 2,0 bar.

2 off Bilge/ Fire Seepex 70-6LBN eccentric screw pump 64/74 m³ / h – 6/3 bar.

1 off Em.Fire Speck 32/200 A1 Centrifugal pump 27 m³ / h – 6,0 bar.

OILY WATER SEPARATOR TYPE/ SPECIFICATIONS

1 off 5/ 15 ppm Oily Water Sep. HELI-SEP 1000-OCD.

SEWAGE TREATMENT PLANT TYPE/ SPECIFICATIONS

1 off JETS/DVZ-SKA-30V Biomaster.

MAIN ENGINE/ GEAR TYPE/ SPECIFICATIONS

2 off Main Engine MaK 8M25, 2 640kW @ 750 rpm

2 off Reduction gear Rolls-Royce Marine, 750 AGC-S-KP500ND

2 off Propeller KaMeWa Ulstein CCP, Ø 3300 mm, 4 blades, 170 rpm

AUX./ EMERGENCY ENGINES TYPE/ SPECIFICATIONS

2 off Auxiliary Engines Nogva Scania, DI 12 62M (10-40), 320kW @ 1800 rpm

1 off Emergency Engine Nogva Deere 4045TFM50-G, 75kW @ 1800 rpm

GENERATORS TYPE/ SPECIFICATIONS

2 off Shaft Generators Scandinavian Electric Systems, MJBM 500 M, 2100KVA, 3 x 450V, 60Hz, 1800 rpm

2 off Aux. Generators Stamford HC, M43 4E1, 375KVA, 3 x 450V, 60Hz, 1800 rpm

1 off Emergency Generator Stamford UVM 224F, 87,5KVA, 3 x 450V, 60Hz, 1800 rpm

THRUSTS TYPE/ SPECIFICATIONS

2 off Bow thrusters Rolls-Royce, TT 1650 DPN CP, 700kW @ 1770 rpm

1 off Stern thrusters Rolls-Royce, TT 1650 DPN CP, 700kW @ 1770 rpm

STEERING ENGINE/ RUDDERS TYPE/ SPECIFICATIONS

2 off Steering Engine Rolls Royce, SR 622 for FCP

2 off Rudder Rolls Royce HLR-S 1750.

SPEED & CONSUMPTION SPECIFICATIONS

Maximum 14,6 knot/ To be added at first review Economy 13,0 knot/ To be added at first review In harbour < 1m³/ 24h

ANCHOR/ ANCHOR CHAIN TYPE/ SPECIFICATIONS

2 off Anchor Spek, 2460kg
2 off Anchor chain Ø 38 mm, length 467,5m, Grade K3

HYDRAULIC EQUIPMENT TYPE/ SPECIFICATIONS

1 off Windlass Rolls-Royce Marine A/S BMG 41036, 10,5 ton
2 off Rope Reels Rolls-Royce Marine A/S, ALM2205, 5 ton @ 1st layer
2 off Capstan Rolls-Royce Marine A/S, CM1206, 6 ton
1 off Deck crane Hydralift, HMC 1400 LK 50-15, SWL 5t @ 13m
1 off MOB- davit Hydralift, HMD A 32 Mk 3, SWL 2,95t

LIFE-SAVING EQUIPMENT TYPE/ SPECIFICATIONS

1 off MOB/ Rescue - boat MP 741Springer FRC, max 10 persons, 200hp
6 off Life Rafts Viking 20 DK. 20 manns firbare oppblåsbare flåter
42 off Survival Jackets Seamaster 1983.
3 off Survival Life Jackets, Inflatable Freesafe, 150 N Aut.
37 off Survival suits Erling Haug A/S, 6 timers.
2 off Fireman's outfit Nomex EN 469/ Auer 300 bar/ 6 l.

NAUTICAL EQUIPMENT TYPE/ SPECIFICATIONS

1 off Radar 10 cm Furuno S-band, FAR-2137, ARPA Radar
1 off Radar 3 cm Furuno X-band, FAR-2117 True Motion Radar
1 off Electronic chart system Tel-Chart
2 off Gyrocompass Anschütz STD. 22 G/GM
1 off Auto pilot Anschütz, Pilotstar D
1 off Speed Log Furuno Doppler Speed Log, DS-80
1 off Echo Sounder Furuno FE-700
1 off GPS Furuno GP-90
1 off GPS MX 420 DGPS
2 off VHF Furuno FM-8500 VHF simplex
1 off VHF Furuno FM-2721 VHF DSC simplex
4 off UHF Motorola portable, 6 channels
1 off DP/ Joystick system Nautronix NMS 6000 DP Basic

COMMUNICATION, GMDSS-A2 TYPE/ SPECIFICATIONS

GMDSS-A3 Furuno
Transmitter/ Receiver MF/ HF DSC Furuno MF/HF SSB model FS-1570
Emergency Radio Beacon Jotron, Tron 405 EPIRB
2 off Radartransponder Jotron Tron Sart

1 off UHF Motorola GP 340
4 off portable UHF Motorola GP 340
Navtex receiver Furuno NX 5000
1 off aircraft/ ship VHF Icom VHF AM
1 off portable aircraft/ ship VHF Icom VHF AM
1 off ECDIS Dual Tecdis T-2138
V-sat, phone
V-sat, fax
Inmarsat C Furuno Felcom 15
Mobile phone
Mobile fax
E-mail

Location Norway



Offshore Solutions Unlimited™
Columbia Tower
701 5th Ave #4200
Seattle, WA 98104
Phone: (206)262 7500
Fax: (206)262 8001
www.unlimitedoffshore.com

This e-mail and any file attached hereto may contain material that is confidential and for the sole use of the intended recipient. If you are not the intended recipient, please do not read it, notify us immediately by e-mail or by telephone and delete this message and any file attached from your system. Any use, disclosure, forward, printing or copying of this email and its attachments without express permission is strictly prohibited. All particulars are believed to be correct but not guaranteed. All offers are made subject to prior sale, changes in specifications or price and to withdrawal from sales list without notice. Copyright © 2015 BOATS4EVER.COM LLC, All rights reserved.